

**IFWO** 

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/812,716

DATE: 09/08/2004 TIME: 16:41:36

Input Set : A:\PTO.FG.TXT

Output Set: N:\CRF4\09082004\J812716.raw

3 <110 > APPLICANT: Liew, Choong-Chin

5 <120> TITLE OF INVENTION: Method for the Detection of Type II DIabetes Related Gene Transcripts in

6 Blood

W--> 7 <130> FILE REFERENCE: 4231/2055E

9 <140> CURRENT APPLICATION NUMBER: 10/812,716

10 <141> CURRENT FILING DATE: 2004-3-30

12 <150> PRIOR APPLICATION NUMBER: US 10/802,875

13 <151> PRIOR FILING DATE: 2004-03-12

15 <150> PRIOR APPLICATION NUMBER: US 10/601,518

16 <151> PRIOR FILING DATE: 2003-06-20

18 <150> PRIOR APPLICATION NUMBER: US 10/268,730

19 <151> PRIOR FILING DATE: 2002-10-09

21 <150> PRIOR APPLICATION NUMBER: US 10/085,783

22 <151> PRIOR FILING DATE: 2002-02-28

24 <150> PRIOR APPLICATION NUMBER: US 09/477,148

25 <151> PRIOR FILING DATE: 2000-01-04

27 <150> PRIOR APPLICATION NUMBER: US 60/271,955

28 <151> PRIOR FILING DATE: 2001-02-28

30 <150> PRIOR APPLICATION NUMBER: US 60/305,340

31 <151> PRIOR FILING DATE: 2001-07-13

33 <150> PRIOR APPLICATION NUMBER: US 60/275,017

34 <151> PRIOR FILING DATE: 2001-03-12

36 <150> PRIOR APPLICATION NUMBER: US 60/115,125

37 <151> PRIOR FILING DATE: 1999-01-06

39 <160> NUMBER OF SEQ ID NOS: 112

41 <170> SOFTWARE: PatentIn version 3.2

43 <210> SEQ ID NO: 1

44 <211> LENGTH: 110

45 <212> TYPE: DNA

46 <213> ORGANISM: Human

48 <400> SEQUENCE: 1

49 acacaacgta acaataacat atttagccaa tgtagtagac tgctatataa tacattagag

51 tgtcaattca ttccgtttac agccccattg ggtgtcaaat tttttttgtt

110

54 <210> SEQ ID NO: 2

55 <211> LENGTH: 530

56 <212> TYPE: DNA

57 <213> ORGANISM: Human

60 <220> FEATURE:

61 <221> NAME/KEY: misc feature

62 <222> LOCATION: (16)..(16)

63 <223> OTHER INFORMATION: n is a, c, g, or t

65 <220> FEATURE:

66 <221> NAME/KEY: misc feature



**RAW SEQUENCE LISTING**PATENT APPLICATION: **US/10/812,716**DATE: 09/08/2004

TIME: 16:41:36

Input Set : A:\PTO.FG.TXT

Output Set: N:\CRF4\09082004\J812716.raw

67 <222> LOCATION: (19)..(19) 68 <223> OTHER INFORMATION: n is a, c, g, or t 70 <220> FEATURE: 71 <221> NAME/KEY: misc feature 72 <222> LOCATION: (25)..(25) 73 <223> OTHER INFORMATION: n is a, c, g, or t 75 <220> FEATURE: 76 <221> NAME/KEY: misc feature 77 <222> LOCATION: (38)..(38) 78 <223> OTHER INFORMATION: n is a, c, g, or t 80 <220> FEATURE: 81 <221> NAME/KEY: misc\_feature 82 <222> LOCATION: (40)..(40) 83 <223> OTHER INFORMATION: n is a, c, g, or t 85 <220> FEATURE: 86 <221> NAME/KEY: misc\_feature 87 <222> LOCATION: (42)..(42) 88 <223> OTHER INFORMATION: n is a, c, g, or t 90 <220> FEATURE: 91 <221> NAME/KEY: misc\_feature 92 <222> LOCATION: (44)..(44) 93 <223> OTHER INFORMATION: n is a, c, g, or t 95 <220> FEATURE: 96 <221> NAME/KEY: misc feature 97 <222> LOCATION: (64)..(66) 98 <223> OTHER INFORMATION: n is a, c, g, or t 100 <220> FEATURE: 101 <221> NAME/KEY: misc feature 102 <222> LOCATION: (70)...(71) 103 <223> OTHER INFORMATION: n is a, c, g, or t 105 <220> FEATURE: 106 <221> NAME/KEY: misc\_feature 107 <222> LOCATION: (81)..(81) 108 <223> OTHER INFORMATION: n is a, c, g, or t 110 <220> FEATURE: 111 <221> NAME/KEY: misc feature 112 <222> LOCATION: (86)..(86) 113 <223> OTHER INFORMATION: n is a, c, g, or t 115 <220> FEATURE: 116 <221> NAME/KEY: misc feature 117 <222> LOCATION: (89)..(89) 118 <223> OTHER INFORMATION: n is a, c, g, or t 120 <220> FEATURE: 121 <221> NAME/KEY: misc feature 122 <222> LOCATION: (117)..(117) 123 <223> OTHER INFORMATION: n is a, c, g, or t 125 <220> FEATURE:

126 <221> NAME/KEY: misc\_feature 127 <222> LOCATION: (121)..(121) **RAW SEQUENCE LISTING**PATENT APPLICATION: **US/10/812,716**DATE: 09/08/2004
TIME: 16:41:36

Input Set : A:\PTO.FG.TXT

Output Set: N:\CRF4\09082004\J812716.raw

128 <223> OTHER INFORMATION: n is a, c, g, or t 130 <220> FEATURE: 131 <221> NAME/KEY: misc feature 132 <222> LOCATION: (123)..(123) 133 <223> OTHER INFORMATION: n is a, c, g, or t 135 <220> FEATURE: 136 <221> NAME/KEY: misc\_feature 137 <222> LOCATION: (135)..(135) 138 <223> OTHER INFORMATION: n is a, c, g, or t 140 <220> FEATURE: 141 <221> NAME/KEY: misc feature 142 <222> LOCATION: (143)..(143) 143 <223> OTHER INFORMATION: n is a, c, g, or t 145 <220> FEATURE: 146 <221> NAME/KEY: misc\_feature 147 <222> LOCATION: (177) .. (177) 148 <223> OTHER INFORMATION: n is a, c, g, or t 150 <220> FEATURE: 151 <221> NAME/KEY: misc feature 152 <222> LOCATION: (179)..(179) 153 <223> OTHER INFORMATION: n is a, c, g, or t 155 <220> FEATURE: 156 <221> NAME/KEY: misc\_feature 157 <222> LOCATION: (181)..(181) 158 <223> OTHER INFORMATION: n is a, c', g, or t 160 <220> FEATURE: 161 <221> NAME/KEY: misc feature 162 <222> LOCATION: (193)..(194) 163 <223> OTHER INFORMATION: n is a, c, g, or t 165 <220> FEATURE: 166 <221> NAME/KEY: misc feature 167 <222> LOCATION: (209)..(210) 168 <223> OTHER INFORMATION: n is a, c, g, or t 170 <220> FEATURE: 171 <221> NAME/KEY: misc feature 172 <222> LOCATION: (215)..(215) 173 <223> OTHER INFORMATION: n is a, c, g, or t 175 <220> FEATURE: 176 <221> NAME/KEY: misc\_feature 17,7 <222> LOCATION: (217)..(217) 178 <223> OTHER INFORMATION: n is a, c, g, or t 180 <220> FEATURE: 181 <221> NAME/KEY: misc feature 182 <222> LOCATION: (221)..(221) 183 <223> OTHER INFORMATION: n is a, c, g, or t

185 <220> FEATURE:

186 <221> NAME/KEY: misc\_feature 187 <222> LOCATION: (228)..(228)

188 <223> OTHER INFORMATION: n is a, c, g, or t

#### RAW SEQUENCE LISTING

DATE: 09/08/2004 PATENT APPLICATION: US/10/812,716 TIME: 16:41:36

Input Set : A:\PTO.FG.TXT

Output Set: N:\CRF4\09082004\J812716.raw

190 <220> FEATURE: 191 <221> NAME/KEY: misc\_feature 192 <222> LOCATION: (233)..(233) 193 <223> OTHER INFORMATION: n is a, c, g, or t 195 <220> FEATURE: 196 <221> NAME/KEY: misc feature 197 <222> LOCATION: (236)..(236) 198 <223> OTHER INFORMATION: n is a, c, g, or t 200 <220> FEATURE: 201 <221> NAME/KEY: misc\_feature 202 <222> LOCATION: (243)..(243) 203 <223> OTHER INFORMATION: n is a, c, g, or t 205 <220> FEATURE: 206 <221> NAME/KEY: misc feature 207 <222> LOCATION: (251)..(254) 208 <223> OTHER INFORMATION: n is a, c, g, or t 210 <220> FEATURE: 211 <221> NAME/KEY: misc\_feature 212 <222> LOCATION: (270)..(270) 213 <223> OTHER INFORMATION: n is a, c, g, or t 215 <220> FEATURE: 216 <221> NAME/KEY: misc\_feature 217 <222> LOCATION: (272)..(272) 218 <223> OTHER INFORMATION: n is a, c, g, or t 220 <220> FEATURE: 221 <221> NAME/KEY: misc\_feature 222 <222> LOCATION: (274)..(275) 223 <223> OTHER INFORMATION: n is a, c, g, or t 225 <220> FEATURE: 226 <221> NAME/KEY: misc feature 227 <222> LOCATION: (283)..(283) 228 <223> OTHER INFORMATION: n is a, c, g, or t 230 <220> FEATURE: 231 <221> NAME/KEY: misc feature 232 <222> LOCATION: (292)..(293) 233 <223> OTHER INFORMATION: n is a, c, g, or t 235 <220> FEATURE: 236 <221> NAME/KEY: misc feature 237 <222> LOCATION: (299)..(299) 238 <223> OTHER INFORMATION: n is a, c, g, or t 240 <220> FEATURE: 241 <221> NAME/KEY: misc\_feature 242 <222> LOCATION: (303)..(303) 243 <223> OTHER INFORMATION: n is a, c, g, or t 245 <220> FEATURE: 246 <221> NAME/KEY: misc\_feature 247 <222> LOCATION: (307)..(307) 248 <223> OTHER INFORMATION: n is a, c, g, or t 250 <220> FEATURE:

# RAW SEQUENCE LISTING DATE: 09/08/2004 PATENT APPLICATION: US/10/812,716 TIME: 16:41:36

Input Set : A:\PTO.FG.TXT

Output Set: N:\CRF4\09082004\J812716.raw

251 <221> NAME/KEY: misc\_feature 252 <222> LOCATION: (312)..(312) 253 <223> OTHER INFORMATION: n is a, c, g, or t 255 <220> FEATURE: 256 <221> NAME/KEY: misc\_feature 257 <222> LOCATION: (319) ... (319) 258 <223> OTHER INFORMATION: n is a, c, g, or t 260 <220> FEATURE: 261 <221> NAME/KEY: misc feature 262 <222> LOCATION: (324)..(325) 263 <223> OTHER INFORMATION: n is a, c, g, or t 265 <220> FEATURE: 266 <221> NAME/KEY: misc feature 267 <222> LOCATION: (328)..(329) 268 <223> OTHER INFORMATION: n is a, c, g, or t 270 <220> FEATURE: 271 <221> NAME/KEY: misc\_feature 272 <222> LOCATION: (342)..(342) 273 <223> OTHER INFORMATION: n is a, c, g, or t 275 <220> FEATURE: 276 <221> NAME/KEY: misc\_feature 277 <222> LOCATION: (345)..(345) 278 <223> OTHER INFORMATION: n is a, c, g, or t 280 <220> FEATURE: 281 <221> NAME/KEY: misc\_feature 282 <222> LOCATION: (366)..(366) 283 <223> OTHER INFORMATION: n is a, c, g, or t 285 <220> FEATURE: 286 <221> NAME/KEY: misc\_feature 287 <222> LOCATION: (377)..(377) 288 <223> OTHER INFORMATION: n is a, c, g, or t 290 <220> FEATURE: 291 <221> NAME/KEY: misc feature 292 <222> LOCATION: (382)..(382) 293 <223> OTHER INFORMATION: n is a, c, g, or t 295 <220> FEATURE: 296 <221> NAME/KEY: misc feature 297 <222> LOCATION: (391)..(391) 298 <223> OTHER INFORMATION: n is a, c, g, or t 300 <220> FEATURE: 301 <221> NAME/KEY: misc\_feature 302 <222> LOCATION: (395)..(395) 303 <223> OTHER INFORMATION: n is a, c, g, or t 305 <220> FEATURE: 306 <221> NAME/KEY: misc feature 307 <222> LOCATION: (400)..(400) 308 <223> OTHER INFORMATION: n is a, c, g, or t 310 <220> FEATURE:

311 <221> NAME/KEY: misc\_feature

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/812,716

DATE: 09/08/2004 TIME: 16:41:37

Input Set : A:\PTO.FG.TXT

Output Set: N:\CRF4\09082004\J812716.raw

#### Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
1,40,42,44,64
Seq#:2; N Pos.
Seq#:2; N Pos. 143/17/1/19/19/19/19/209,210,215,217,221,228,233,236,248
Seq#:2; N Pos. 25/1,25/2,25/2,25/4,270,272,214,175,28/3,292,293,299,303,307,31/2
Seq#:2; N Pos. 31/9,32/4,32/5,32/8,32/9,34/2,34/5,36/6,34/7,34/2,34/1,34/5,44/0,41/2,41/3
Seq#:2; N Pos. 422,424,426,433,439,442,452,460,463,471,495,500,504,516
Seq#:5; N Pos. 13,14,16,20,21,25,26,27,28,42,52,55,57,59,63,65,68,72,74,77
Seq#:5; N Pos. 91,102,117,127,128,169,172,192,203,243,244,248,249,253,283
Seq#:5; N Pos. 288,299,318,327,334,348,359,360
Seq#:6; N Pos. 475,556,559,585,606,644,671,693,695,714,742,744,756,765,768
Seq#:6; N Pos. 808,815,823,830,837
Seq#:10; N Pos. 433,600,615,626,645,661
Seq#:14; N Pos. 6,15,37,38,47,56,57,94,127,155,157
Seq#:16; N Pos. 5,15,39,47,52,69,154,207,217
Seq#:17; N Pos. 18,19,27,47,66,76,82,108,133,162,210,260,276
Seq#:19; N Pos. 17,40,59,76,107,165,189,216,221,230
Seq#:21; N Pos. 17,23,28,36,41,44,53,59,62,67,70,71,74,76,79,83,84,86,97
Seq#:22; N Pos. 2,17,37,52,53,56,77,85,89,96
Seq#:23; N Pos. 17,19,27,28,29,37,38,46,49,65,72
Seq#:24; N Pos. 5,13,71,88,91,109,157,177,199,207,211
Seq#:26; N Pos. 299,333,353,410,411,460,474,479
Seq#:27; N Pos. 348,422,435,476,490
Seq#:28; N Pos. 18,47,59,74,138,174,176,211
Seq#:29; N Pos. 1,2,12,29,34
Seq#:30; N Pos. 3,4,5,6,8,13,15,20,27,32,33,40,49,50,57,63,67,69,76,78,87
Seq#:30; N Pos. 89
Seq#:31; N Pos. 12,26,46,49,55,60,63,69,70,73,79,92,96
Seq#:32; N Pos. 2,7,27,34,57,63,64,67,73,75,76,77,78,80,90,96,97,98
Seq#:33; N Pos. 5,12,28,32,38,44,57,68,76,82,92
Seq#:34; N Pos. 3,21,27,28,38,47,50,53,61,73,78,83,85,97
Seq#:35; N Pos. 21,22,28,32,65,67,68,70,77,83,92
Seq#:36; N Pos. 4,8,29,43,44,46,57,59,84,98,115,117,118
Seq#:37; N Pos. 7,10,53,61,65,66,72,74,75,89,94,100,107,126,141
Seq#:38; N Pos. 2,10,61,63,72,79
Seq#:39; N Pos. 5,7,8,10,15,16,20,24,71
Seq#:40; N Pos. 80,91
Seq#:42; N Pos. 14,31,36,63,73,93,98
Seq#:44; N Pos. 2,11,27,28,34,38,39,41,49,50,61,62,67,68,76,79,80,85,89,93
Seq#:45; N Pos. 8,24,33,34,47,48,58,63,68,71,73,77,88,95,96
Seq#:46; N Pos. 74
Seq#:47; N Pos. 7,8,17,23,33,42,47,48,52,55,60,62,66,70,71,74,84,86,87,96
Seq#:47; N Pos. 99,100
Seq#:48; N Pos. 5,6,33,35,36,42,46,48,55,59,69,81,87,91,94,97
Seq#:49; N Pos. 20,38,164,178,201,211,274,305,340,346,386,387,405,433,446
```

Seq#:50; N Pos. 5,6,13,18,22,39,45,48,54,65,70,72,80,83,90,94,96,98,102,104

RAW SEQUENCE LISTING ERROR SUMMARY

DATE: 09/08/2004

PATENT APPLICATION: US/10/812,716

TIME: 16:41:37

Input Set : A:\PTO.FG.TXT

Output Set: N:\CRF4\09082004\J812716.raw

Seq#:50; N Pos. 113,115,117,121,123,125,128,142,144,160,174,175,180,181,186 Seq#:50; N Pos. 192,198,205,215,223,224,233,234,238,243,253,257,268,280,291

Seq#:50; N Pos. 296,300,305,308,311,319,322,326,328,334,335,338,339,347,352

Seq#.50, N Pos. 358,361,367,382,389,395,410,413,414,418,425,436,443

Seq#:51; N Pos. 19,59,87,11/6,203,215,274,296,309,353,425,426,427,431,451

Seq#:51; N Pos. 470,472,478

Seq#:52; N Pos. 13,14,17,20,22,27,29,31,36,43,46,58,59,74,78,81,85,87,88,90

### Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 5

## VERIFICATION SUMMARY

DATE: 09/08/2004 PATENT APPLICATION: US/10/812,716 TIME: 16:41:37

Input Set : A:\PTO.FG.TXT

Output Set: N:\CRF4\09082004\J812716.raw

L:7 M:283 W: Missing Blank Line separator, <130> field identifier L:10 M:256 W: Invalid Numeric Header Field, Wrong Current FILING DATE:YYYY-MM-DD L:386 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0 M:341 Repeated in SeqNo=2 L:610 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0 M:341 Repeated in SeqNo=5 L:746 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:420 M:341 Repeated in SeqNo=6 L:855 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:420 M:341 Repeated in SeqNo=10 L:963 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0 M:341 Repeated in SegNo=14 L:1045 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0 M:341 Repeated in SeqNo=16 L:1121 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0 M:341 Repeated in SeqNo=17 L:1212 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0 M:341 Repeated in SeqNo=19 L:1330 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0 M:341 Repeated in SeqNo=21 L:1387 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0 M:341 Repeated in SeqNo=22 L:1439 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0 M:341 Repeated in SeqNo=23 L:1506 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0 M:341 Repeated in SeqNo=24 L:1584 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:240 M:341 Repeated in SeqNo=26 L:1637 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:300 M:341 Repeated in SeqNo=27 L:1693 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0 M:341 Repeated in SeqNo=28 L:1729 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0 L:1826 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0 M:341 Repeated in SeqNo=30 L:1898 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0 M:341 Repeated in SeqNo=31 L:1970 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0 M:341 Repeated in SeqNo=32 L:2037 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0 M:341 Repeated in SeqNo=33 L:2114 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0 M:341 Repeated in SeqNo=34 L:2171 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0 M:341 Repeated in SeqNo=35 L:2238 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0 M:341 Repeated in SeqNo=36

L:2317 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:0

VERIFICATION SUMMARY

DATE: 09/08/2004

PATENT APPLICATION: US/10/812,716

TIME: 16:41:37

Input Set : A:\PTO.FG.TXT

Output Set: N:\CRF4\09082004\J812716.raw

M:341 Repeated in SeqNo=37

L:2361 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:0

M:341 Repeated in SeqNo=38

L:2408 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:0